Appendix 4.2

Side Roads Summary











APPENDIX 4.2 Side Roads Summary

Each side road that is affected by the proposed road development is detailed in Table 4.2.1, below, together with the relevant adjacent carriageway width, hard-strip width and approximate verge width. Side road alignment drawings are included in Volume 3, Figures 4.50 – 4.66.

Table 4.2.1 Side Roads and Link Roads

						Realigned / New Section			
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)		
			Section	n A					
L-6188 Port Access Road	Corgrig	1+000	Realigned Port Access Road to new roundabout	7.0m carriageway / 2.0m verges	150	Type 2 Single 7.0m carriageway / 0.5m hard strips / 3.0m verges	50		
N69 (Roundabout North)	Corgrig	1+000	Realigned at-grade to new roundabout	7.0m carriageway / 0.5m hard strips / 3.0m verges	120	Type 2 Single 7.0m carriageway / 0.5m hard strips / 3.0m verges	60		
N69 (Roundabout South)	Corgrig	1+000	Realigned at-grade to new roundabout	7.3m carriageway / 2.5m hard shoulders / 1.5m verges	120	7.3m carriageway / 2.5m hard shoulders / 1.5m verges	60		
N69	Robertstown	2+620	Widened on-line over Robertstown River, mainline over N69	7.0m carriageway / 1.0m verges	290	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges + 3.0m shared footpath / cycleway	85		
L-6069	Robertstown	2+620	Realigned at-grade to tie into realigned Existing N69	4.7m carriageway	40	5.0m carriageway / 1.0m verges	-		
L-6068	Robertstown / Rincullia	3+615	Road Severed	4.2m carriageway	-	-	-		

Ref. 14.131 EIAR App. 4.2

					Realigned / New Section						
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)				
Cooper's Lane	Mulderricksfield	5+745	Realigned access track over mainline	3.0m carriageway	960	4m carriageway / 1m verge	30				
			Section	n B							
L-1220	Ballyellinan / Ballyclogh	10+080	Realigned on-line, new bridge over proposed Askeaton Link Road	4.8m carriageway	630	5.0m carriageway / 1.5m verges	70				
L-6062	Ballyellinan	10+080	Realigned vertically to tie in with Realigned L1220	4.5m carriageway	350	5.0m carriageway / 1.5m verges	70				
R518	Graigeen / Ballingarrane	12+000	Realigned at-grade to new roundabout	8.0m carriageway / 1.0m verge north / 3.0m footpath south	130	6.0m carriageway 2 x 0.5m hard strips 1,0 - 3.0m verges north / 3.0m footpath south	50				
N69 Foynes (Roundabout West)	Cloonreask	12+000	Realigned at-grade to new roundabout	7.3m carriageway / 2.5m hard shoulders / 1.5m verges	180	Type 1 Single 7.3m carriageway / 2.5m hard shoulders / 3.0m verges	85				
N69 Foynes (Roundabout East)	Cloonreask	12+000	Realigned at-grade to new roundabout	7.3m carriageway / 2.5m hard shoulders / 1.5m verges	460	Type 1 Single 7.3m carriageway / 2.5m hard shoulders / 3.0m verges	85				
			Section	n C							
L-1220	Ballyclogh	20+660	Alignment unchanged. Proposed road development on bridge over local road. Verge widened to west	4.2m carriageway / 0.5m verges	-	Widened 3.0m verge west	70				

						Realigned / New Section				
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)			
L-1236	Baunreagh/ Ballynacaheragh	22+550	Realigned west of existing road, to cross over proposed road development on a bridge	5.7 carriageway	260	6.0m carriageway / 3.0m verges	70			
L-1222	Graigeen	26+535	Realigned south of existing road to pass under proposed road development bridge	4.9 carriageway	380	5.0m carriageway / 3.0m verges	85			
R518	Graigeen	26+685	Alignment unchanged. R518 to pass under proposed road development bridge, verge widened to east	5.5 carriageway	-	Widened 3.0m verge east	85			
L-6132	Ballingarrane	27+650	Realigned on-line of existing road under new bridge	4m carriageway	140	4m carriageway / 1.0m – 3.0m verge	70			
			Section	n D						
N21 Rathkeale Link Road (Roundabout West)	Rathkeale	50+000	Realigned west of Rathkeale Roundabout South	7.3m carriageway / 3.0m hard shoulders / 1.5m verges	580	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verge north, 6m verge south incl 3.0m wide shared space Cycle /pedestrian facility	60			
N21 Rathkeale (Roundabout East)	Rathkeale	50+000	Realigned east of Rathkeale Roundabout South	7.3m carriageway / 3.0m hard shoulders / 1.5m verges	340	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges	85			

					Realigned / New Section						
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)				
Rathkeale Junction Dumbbell Connector	Rathkeale	50+000	Dumbbell Connector Road at Rathkeale Junction	7.3m carriageway / 3.0m hard shoulders / 1.5m verges	90	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges	70				
L-1203 Pallaskenry Road	Rathkeale	50+185	Realigned on-line of existing road, mainline underbridge	6.0m carriageway / 0.5m verges	250	6.0m carriageway / 1.5m verge west / 3.0m verge east	85				
L-6023 Blossomhill Road	Blossomhill/ Rathkeale Commons	51+530	Realigned east of existing road on new bridge over motorway	4m carriageway	390	6.0m carriageway / 1.0m verge west / 1.5m verge east	60				
L-8027 North Clogh West Road	Clogh West / Blossomhill / Rathkeale Commons	51+530	Severed and realigned north of the proposed M21	4m carriageway	510	4.0m carriageway / 1.5m verges	60				
L-8027 South & L52309 Amogan Beg Road	Croagh Commons / Amogan Beg	51+950	Realigned south of proposed M21 and improved L6023 Blossomhill Road	3.2m carriageway	300	4.0m carriageway / 1.0m verges	50 / 30				
L-1421 Croagh- Cappagh Road	Croagh	54+450	Cappagh Road over motorway	4.8m carriageway	170	1.5m verge 5.0m carriageway 2.0m verge	60				
Croagh Junction Link Road	Croagh	55+590	New link road south of Junction to Existing N21	NA	430	Type 1 Single 7.3m carriageway / 2.5m hard shoulders / 3.0m verges	70				

					Realigned / New Section							
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)					
Existing N21 Croagh (Roundabout West)	Croagh	55+590	Existing N21 realigned west of Croagh Link Road Junction	7.3m carriageway / 3.0m hard shoulders / 3.0m verges	100	Type 1 Single 7.3m carriageway / 2.5m hard shoulders / 3.0m verges	85					
Existing N21 Croagh (Roundabout East)	Croagh	55+590	Existing N21 realigned east of Croagh Link Road Junction	7.3m carriageway / 3.0m hard shoulders / 3.0m verges	190	Type 1 Single 7.3m carriageway / 2.5m hard shoulders / 3.0m verges	85					
L-8026	Graigue / Croagh	56+170	Severed and realigned south of Proposed M21 to tie into L8025	3.6m carriageway	475	4m carriageway / 1m Verge	60					
L-8025	Graigue / Clonshire More	56+505	Road widened to the south to provide visibility to new L8026 junction beside motorway bridge over local road.	4m carriageway	210	5.0m carriageway / 1.5m Verges	70					
L-8024	Gortnagrour / Clonshire Beg	57+665	Motorway over L8024 Clonshire Beg Road	3.5m carriageway	120	4m carriageway / 1m Verge	42					
L-1422 Blackabbey Road	Tuogh	59+015	Motorway over L1422 Blackabbey Road	5.5m carriageway	-	4m carriageway / 1m Verge	60					
L-1423 Station Road	Curraghbeg / Curraghbridge	60+320	Realigned east of existing road, L1423 Station Road over Motorway	4.7m carriageway	530	5.0m carriageway / 1.5m Verges	60					

						Realigned / New Section	
Road Name	Townland	Mainline Chainage	Proposed Sideroad Treatment	Existing Cross- Section (m)	Length (m)	Cross section	Design Speed (km/h)
L-21016 Ardshanbally Road	Ardshanbally	61+200	Truncated at existing railway level crossing with new access track to the west for lands north of the railway.	n/a	0 (120m removed)	n/a	-
Adare Junction Link Road	Ardshanbally	61+950	New link road south of Junction to Existing N21	NA	140	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges	60
Existing N21 Adare (Roundabout West)	Ardshanbally	61+950	Existing N21 realigned west of Adare Junction Link Road Roundabout	7.0m carriageway / 0.5m hard strips	120	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges	60
Existing N21 Adare (Roundabout East)	Ardshanbally	61+950	Existing N21 realigned east of Adare Junction Link Road Roundabout	7.0m carriageway / 0.5m hard strips /	140	Type 3 Single 6.0m carriageway / 0.5m hard strips / 3.0m verges	60
L-1424 Kilgobbin Road	Mondellihy / Kilgobbin	62+615	Alignment unchanged, motorway over L1424 Kilgobbin Road	5.0m carriageway	130	5.0m carriageway / 3.0m verges	60
L-1427 Monearla Road	Rineroe/ Kilgobbin	63+000	Reinstatement of original road link prior to existing N21 dual carriageway.	6.0m carriageway / 0.5m hard strips / 0.5m verges	290	5.0m carriageway / 0.5m hard strips / 3.0m verges	85